

Closing Wed: HW\_4A, 4B, 4C (6.4, 6.5)  
Midterm 1 will be returned Tuesday  
Grades will be posted by the end of week

## **6.4 Work (continued)**

*Entry Task:*

A cable with density 4 lbs/ft is being used to lift a 50 pound weight from the ground to the top of a 25 foot building.  
Find the total work done.

*Step 1:* Draw a picture.

*Step 2:* Break up the problem:

- (a) Find the work to lift the 50 lbs weight.
- (b) Find the work to lift the cable.

*Step 3:* Add these together.

*Example:*

You are pumping water out of an aquarium.

The aquarium is a rectangular box with a base of 2 ft by 3 ft and height of 10ft. The density of water is  $62.5 \text{ lbs/ft}^3$ .

If the tank starts full, how much work is done in pumping all the water to the top and out over the side?

*Quick Summary:*

$$\begin{aligned} \text{Work} &= \lim_{n \rightarrow \infty} \sum_{i=1}^n (\text{FORCE})(\text{DIST}) \\ &= \int_a^b (\text{FORCE})(\text{DIST}) \end{aligned}$$

*Problem type 1:* (Leaky bucket/spring)

$$\text{FORCE} = f(x_i), \quad \text{DISTANCE} = \Delta x,$$

*Problem type 2:* (Chain/pumping)

FORCE = weight of each horizontal slice

DISTANCE = distance moved by a slice

*For a chain,* we have

$k$  = density = force per distance

FORCE = weight of slice =  $k\Delta x$

DISTANCE = distance moved by slice

*For pumping,* we have

$k$  = weight per volume

FORCE =  $k(\text{area of horiz. slice})\Delta y$

DISTANCE = distance moved by slice

Some unit facts:

	<b>Metric</b>	<b>Standard</b>
<b>Mass</b>	kg	
<b>Accel.</b>	9.8 m/s <sup>2</sup>	32 ft/s <sup>2</sup>
<b>Force</b>	Newtons N = kg·m/s <sup>2</sup>	pounds = lbs
<b>Dist.</b>	m = meters	ft = feet
<b>Work</b>	Joules J = N·m	foot-pounds ft·lbs

g = grams, in = inches, yd = yards, mi = miles

1000 g = 1 kg

100 cm = 1 meter

12 inches = 1 foot

3 feet = 1 yard

5280 ft = 1 mile

**Density of water** = 1000 kg/m<sup>3</sup> = 9800 N/m<sup>3</sup>  
= 62.5 lbs/ft<sup>3</sup>

## Review: Particular scenarios

### Type 1 Problems:

$$\text{FORCE} = f(x_i), \text{DISTANCE} = \Delta x$$

1. HW 4A/1, 2, 8, 9 and HW 4C/1

Given force, just need to integrate!

$$\text{Work} = \int_a^b f(x) dx$$

2. HW 4A/3, 4 (Springs)

(i) Covert all to meters

(ii) Label natural length,  $L$ , and note that  $L$  corresponds to  $x = 0$ .

$$\text{Force} = f(x) = kx$$

$$\text{Work} = \int_a^b kx dx$$

Step 1: Find  $k$

Step 2: Answer question.

### Type 2 Problems:

FORCE = weight of a horizontal slice,

DISTANCE = distance to top

3. HW 4A/5 and HW 4C/2 (Chain)

(i)  $k$  = density of chain = weight/dist

(ii) FORCE at a subdivision =  $k\Delta x$

(iii) Label top  $x=0$ , then DIST =  $x_i$ .

$$\text{Work} = \int_a^b x k dx$$

4. HW 4A/6,7 and HW 4C/3 (Pumping)

Water density =  $9800 \text{ N/m}^3 = 62.5 \text{ lbs/ft}^3$

(i) Label (put in  $xy$ -plane)

(ii) Draw a horizontal slice and find a formula for its area.

(iii) FORCE = (Density)(Area) $\Delta y$

(iv) DIST = distance to top


$$\text{Work} = \int_a^b (\text{Dist})(\text{Density})(\text{Area}) dy$$

*Example:*

Consider the tank shown at right.

The height is 3 meters, the width at the top is 2 meters and the length is 6 meters. Also we are pumping the water up to 4 meters above the ground (1 meter above the top edge).

If it starts full, how much work is done to pump it all out?



## 6.5 Average Value

The average value of the  $n$  numbers:

$$y_1, y_2, y_3, \dots, y_n$$

is given by

$$\frac{y_1 + y_2 + y_3 + \dots + y_n}{n} = y_1 \frac{1}{n} + \dots + y_n \frac{1}{n}.$$

Goal: We want the average value of **all** the  $y$ -values of some function  $y = f(x)$  over an interval  $x = a$  to  $x = b$ .

*Derivation:*

1. Break into  $n$  equal subdivisions

$$\Delta x = \frac{b-a}{n}, \text{ which means } \frac{\Delta x}{b-a} = \frac{1}{n}$$

2. Compute  $y$ -value at each tick mark  
 $y_1 = f(x_1), y_2 = f(x_2), \dots, y_n = f(x_n)$

3. Ave  $\approx f(x_1) \frac{\Delta x}{b-a} + \dots + f(x_n) \frac{\Delta x}{b-a}$

$$\text{Average} \approx \frac{1}{b-a} \sum_{i=1}^n f(x_i) \Delta x$$

4. Thus, we can define

$$\text{Average} = \frac{1}{b-a} \lim_{n \rightarrow \infty} \sum_{i=1}^n f(x_i) \Delta x$$

5. Which means the exact average  $y$ -value of  $y = f(x)$  over  $x = a$  to  $x = b$  is

$$f_{ave} = \frac{1}{b-a} \int_a^b f(x) dx$$