Math 335 Sample Problems

One notebook sized page of notes will be allowed on the test. The test will cover through §7.6

- 1. Suppose $a_n > b_n > 0$, $a_n > a_{n+1}$ and $\lim_{n \to \infty} a_n = 0$. Does $\sum_{1}^{\infty} (-1)^n b_n$ converge? Give a proof or a counterexample.
- 2. Using power expansions of elementary transcendental functions prove that

$$\frac{1}{2!} + \frac{2}{3!} + \frac{3}{4!} + \dots = 1.$$

3. Prove that

$$\frac{1}{n!} > \sum_{j=n+1}^{\infty} \frac{1}{j!},$$

for $n \geq 1$.

4. Suppose that $a_n \ge 0$ and $\sum_{n=0}^{\infty} a_n$ diverges; and suppose that $\sum_{n=0}^{\infty} a_n x^n$ converges for |x| < 1. Prove

$$\lim_{x \to 1^{-}} \sum_{n=0}^{\infty} a_n x^n = +\infty.$$

- 5. Suppose f_n is a sequence of continuous functions that converges uniformly on a set W. Let p_n be a sequence of points in W that converges to a point $p \in W$. Prove that $\lim_{n\to\infty} f_n(p_n) = f(p)$.
- 6. Let be a sequence of continuous functions in I = [a, b] and suppose $f_n(x) \ge f_{n+1}(x) \ge 0$ for all $x \in I$. Suppose $\lim_{n \to \infty} f_n(x) = 0$ for all $x \in I$ (point-wise convergence to 0). Is the convergence uniform? Give a proof or a counterexample.
- 7. Let f_n be a sequence of Riemann integrable functions on interval I = [a, b]. Suppose f_n converges uniformly to a limit f on I. Prove that f is Riemann integrable.
- 8. Prove that $\sum_{n=0}^{\infty} \frac{x}{(1+|x|)^n}$ converges for all x, but the convergence is not uniform.

Sample Problems 2

9. Assume $p \ge 1$, $q \ge 1$. Prove that

$$\int_0^1 \frac{t^{p-1}}{1+t^q} dt = \frac{1}{p} - \frac{1}{p+q} + \frac{1}{p+2q} \dots$$

Give careful justification of any manipulations.

- 10. Prove that $\sum_{n=1}^{\infty} \frac{\cos nx}{n}$ converges uniformly for $x \in [a,b], 0 < a < b < 2\pi$, but does not converge absolutely for any x.
- 11. Prove that

$$\int_0^1 \left(\frac{\log(1/t)}{t}\right)^{1/2} dt = \sqrt{2\pi}.$$

- 12. Prove that $\sum_{1}^{\infty} (-1)^n \frac{\sin nx}{n}$ converges uniformly on $\{|x| < 1\}$ to a continuous function.
- 13. Folland §7.5, #9.
- 14. Let f_n be a sequence of functions defined on the open interval (a,b). Suppose $\lim_{x\to a^+} f_n(x) = a_n$ for all n. Suppose $\sum_{1}^{\infty} f_n$ converges uniformly on (a,b) to a function f. Prove that $\sum_{1}^{\infty} a_n$ converges and $\lim_{x\to a^+} f(x) = \sum_{1}^{\infty} a_n$. Do not assume f_n is continuous on (a,b).
- 15. Folland, §7.5, #14.
- 16. Suppose the series $\sum_{1}^{\infty} a_n$ converges. Prove that $\sum_{1}^{\infty} \frac{a_n}{n^x}$ converges for $x \ge 0$. Let $f(x) = \sum_{1}^{\infty} \frac{a_n}{n^x}$. Prove that $\lim_{x \to 0^+} f(x) = \sum_{1}^{\infty} a_n$.
- 17. Problem #13, §7.5 of Folland.
- 18. Let $p_j(t) = e^{-t} \frac{t^j}{i!}$.
 - (a) Suppose $\sum_{0}^{\infty} a_n$ converges. Let $s_n = \sum_{0}^{n} a_j$. Prove that

$$\lim_{t \to \infty} \sum_{0}^{\infty} s_j p_j(t) = \sum_{0}^{\infty} a_n.$$

(b) Compute this limit in the case that $a_n = x^n$ for those x for which the limit exists (even in the case that $\sum x^n$ does not converge). This limit is called the Borel regularized value. What does this give for the *Borel regularized value* of $1 - 2 + 4 - 8 + 16 \pm \dots$?

Sample Problems 3

19. Let

$$F(x) = \int_0^{+\infty} \frac{1 - e^{-xt^2}}{t^2} dt,$$

where $x \geq 0$. Prove that F'(x) can be computed by differentiating under the integral sign when x > 0. Use this realation to compute the value of F(x). Carefully justify all manipulations. (This is Folland #13, §7.5 with some hints.)

- 20. You will need to know the definitions of the following terms and statements of the following theorems.
 - (a) Abel's theorem
 - (b) Uniform convergence of a sequence or series of functions
 - (c) Weierstrass M-test
 - (d) Continuity of a uniform limit of continuous functions
 - (e) Integration and differentiation of a sequence or series
 - (f) Power series
 - (g) Radius of convergence of a power series
 - (h) Integration and differentiation of a power series
 - (i) Improper integrals dependent on a parameter
 - (j) Uniform convergence of an improper integral
 - (k) Integration and differentiation of an improper integral
 - (1) Gamma function
- 21. There may be homework problems or example problems from the text on the midterm.