Lecturer: Thomas Rothvoss

Problem Set 1

409 - Discrete Optimization

Spring 2022

Exercise 1 (3 pts)

Let G = (V, E) be any undirected graph. Recall that deg(v) gives the *degree* of $v \in V$ (which is the number of edges incident to v). Argue that

$$\sum_{v \in V} \deg(v) = 2 \cdot |E|.$$

Exercise 2 (8 pts)

Let T = (V, E) be a graph that is a tree and that has |V| = n nodes and assume that $n \ge 2$.

- i) Show that T has at least 2 vertices of degree 1 (also called *leaves*).
- ii) Use i) to prove by induction that the tree has exactly |E| = n 1 many edges. **Remark:** This quantity also falls out of another proof that we will see in the lecture. But please give your own proof by induction here.
- iii) Show that T has at most $\frac{n}{2}$ many vertices that have degree 3 or higher.

Exercise 3 (9 pts)

In the lecture we saw that given a complete graph $K_n = (V, E)$ with edge cost $c_{ij} \ge 0$ for $\{i, j\} \in E$ one can compute a minimum cost TSP tour in time $O(2^n n^3)$ using dynamic programming. Here, we want to consider a variant of this problem:

INPUT: Complete graph $K_n = (V, E)$ on *n* vertices with edge cost $c_{ij} \ge 0$ (for $\{i, j\} \in E$) and a parameter $m \in \{1, ..., n\}$. GOAL: Find a minimum cost cycle in K_n that connects exactly *m* nodes.

Give an algorithm (based on the dynamic program for TSP) that solves the problem. Which running time do you get? (a straightforward solution would get the minimum of $O(n^3 2^n)$ and $O(n^3 n^m)$ — the latter bound is better if *m* is a lot smaller than *n*).